

**Safety Data Sheet**

Material: 60098615

CATALYST T 40 0.250KG BOTTLE GL

Version 1.6 (GHS\_INT)

Print Date 26.05.2026

Date of last alteration: 04.04.2026

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Commercial product name:** CATALYST T 40 0.250KG BOTTLE GL**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of substance / preparation:

Industrial. Commercial.

Intermediate chemical

**1.3 Details of the supplier of the safety data sheet**

Manufacturer/distributor:

Wacker Chemie AG

Street/POB-No.:

Gisela-Stein-Straße 1

State/postal code/city:

D 81671 München

Telephone:

+49 89 6279-0

Information about the Safety Data Sheet:

Telephone

+49 8677 83-4888

eMail

WLCP-MSDS@wacker.com

**1.4 Emergency telephone number**

Emergency Information:

Europe

**+44 1235 239670**

Emergency Information:

Africa and the Middle East

**+44 1235 239671**

Emergency Information:

Caribbean, Central America and South

**+1 646 844 7309**

America except Chile and Colombia

Emergency Information:

Pakistan

**+65 3158 1329**

Emergency Information:

Bangladesh

**+65 3158 1200**

Emergency Information:

East Asia and Southeast Asia except Sri

**+65 3158 1074**

Lanka, Bangladesh and Pakistan

Emergency Information:

Sri Lanka

**+65 3158 1195****SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

Classification	H-Code
Flammable liquids, Category 3	H226
Serious eye damage/eye irritation, Category 2	H319
Specific target organ toxicity - single exposure, Category 3	H335
Specific target organ toxicity - repeated exposure, Category 2	H373
Long-term (chronic) aquatic hazard, Category 4	H413

**2.2 Label elements**

Pictogram(s):



Signal Word: Warning

H-Code	Hazard Statements
H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H413	May cause long lasting harmful effects to aquatic life.

**Safety Data Sheet**

Material: 60098615

CATALYST T 40 0.250KG BOTTLE GL

Version 1.6 (GHS\_INT)

Print Date 26.05.2026

Date of last alteration: 04.04.2026

P-Code	Precautionary Statements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P280	Wear protective gloves/protective clothing/eye protection.
P273	Avoid release to the environment.
P243	Take action to prevent static discharges.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P312	Call a POISON CENTER/ doctor if you feel unwell.
P403 + P235	Store in a well-ventilated place. Keep cool.

**Hazard ingredients (labelling):**

Tetraethyl silicate

Bis(neodecanoyloxy)dioctylstannane

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 28,7 %.

**2.3 Other hazards**

No data available.

Endocrine disrupting properties - human health: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Endocrine disrupting properties - environment: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

not applicable

**3.2 Mixtures****3.2.1 Chemical characteristics**

Organotin compound + Silicic acid ester

**3.2.2 Hazardous ingredients**

Type	CAS-No.	Substance	Content %
INHA	78-10-4	Tetraethyl silicate	>50 – <60
INHA	68299-15-0	Bis(neodecanoyloxy)dioctylstannane	>20 – <30

Type: INHA: ingredient, VERU: impurity

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above  $\geq 0.1\%$ .

**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:**

Take persons to a safe place. Observe self-protection for first aid.

**After contact with the eyes:**

Rinse immediately with plenty of water for 10-15 minutes. Keep eyelids well open to rinse the whole eye surface and eyelids with water. Seek medical advice in case of continuous irritation.

# Safety Data Sheet

Material: 60098615

CATALYST T 40 0.250KG BOTTLE GL

Version 1.6 (GHS\_INT)

Print Date 26.05.2026

Date of last alteration: 04.04.2026

**After contact with the skin:**

Wipe off excess material with cloth or paper. Remove contaminated or soaked clothing. Immediately rinse with plenty of soap and water. In serious cases, use emergency shower immediately. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

**After inhalation:**

Keep the patient calm. If unconscious place in stable sideways position. Protect against loss of body heat. Seek medical advice and clearly identify substance.

**After swallowing:**

If conscious, give several small portions of water to drink. Do not induce vomiting. Seek medical advice and clearly identify substance.

**4.2 Most important symptoms and effects, both acute and delayed**

Any relevant information can be found in other parts of this section.

**4.3 Indication of any immediate medical attention and special treatment needed**

After inhalation: treat as early as possible using cortisone spray.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media:**

alcohol-resistant foam , carbon dioxide , water mist , sprinkler system , sand , extinguishing powder .

**Extinguishing media which must not be used for safety reasons:**

water jet .

**5.2 Special hazards arising from the substance or mixture**

Risk of hazardous gasses or fumes in the event of fire. Exposure to combustion products may be a health hazard! Hazardous combustion products: toxic and very toxic fumes.

**5.3 Advice for firefighters****Special protective equipment for fire fighting:**

Use respiratory protection independent of recirculated air. Keep unprotected persons away.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. If material is released indicate risk of slipping. Do not walk through spilled material.

**6.2 Environmental precautions**

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Contain any fluid that runs out using suitable material (e.g. earth). Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

**6.3 Methods and material for containment and cleaning up**

Take up mechanically and dispose of according to local/state/federal regulations. Do not flush away with water. For small amounts: Absorb with a neutral (non-acidic / non-basic) liquid binding material such as diatomaceous earth and dispose of according to government regulations. For large amounts: Liquids may be recovered using suction devices or pumps. If flammable, only air driven or properly rated electrical equipment should be used. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Silicone fluids are slippery; spills are a safety hazard. Apply sand or other inert granular material to improve traction.

**Further information:**

Exhaust vapours. Eliminate all sources of ignition. Consider explosion protection. Observe notes under section 7.

**6.4 Reference to other sections**

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

# Safety Data Sheet

Material: 60098615

CATALYST T 40 0.250KG BOTTLE GL

Version 1.6 (GHS\_INT)

Print Date 26.05.2026

Date of last alteration: 04.04.2026

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

**Precautions for safe handling:**

Ensure adequate ventilation. Must be syphoned off in situ. Spilled substance increases risk of slipping. Avoid formation of aerosols. In case of aerosol formation special protective measures are required (exhausting by suction, respiratory protection). Observe information in section 8. Keep away from incompatible substances in accordance with section 10.

**Precautions against fire and explosion:**

Flammable vapors may accumulate and form explosive mixtures with air in containers, process vessels, including partial, empty and uncleaned containers and vessels, or other enclosed spaces. Keep away from sources of ignition and do not smoke. Take precautionary measures against electrostatic charging. Cool endangered containers with water.

### 7.2 Conditions for safe storage, including any incompatibilities

**Conditions for storage rooms and vessels:**

Observe local/state/federal regulations.

**Advice for storage of incompatible materials:**

Observe local/state/federal regulations.

**Further information for storage:**

Store in a dry and cool place. Protect against moisture. Store container in a well ventilated place.

### 7.3 Specific end use(s)

No data available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

**Maximum airborne concentrations at the workplace:**

Substance	Type	mg/m <sup>3</sup>	ppm	Dust fract.	Fibre/m <sup>3</sup>
Aerosol - inhalable fraction		10,0			

The aerosol limit specified is a recommendation should aerosol be formed during processing.

### 8.2 Exposure controls

#### 8.2.1 Exposure in the work place limited and controlled

**General protection and hygiene measures:**

Observe standard industrial hygiene practices for the handling of chemical substances. Do not inhale gases/vapours/aerosols. Use with adequate ventilation. Avoid contact with eyes and skin. Preventive skin protection recommended. Remove contaminated, soaked clothing immediately. Clean work areas regularly. Provide emergency shower and eye-bath. Do not eat, drink or smoke when handling. Keep away from foodstuff, drink and feedingstuff.

**Further information for system design and engineering measures**

Observe information in section 7. Observe national regulatory requirements.

**Personal protection equipment:****Respiratory protection**

If inhalative exposure above the occupational exposure limit cannot be excluded, adequate respiratory protection equipment must be used. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136. Recommended Filter type: Gas filter type ABEK (certain inorganic, organic and acidic gases and vapors; ammonia/amines), according to acknowledged standards such as EN 14387

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136.

Recommended Filter type: Combined filter type ABEK-P2 (certain inorganic, organic and acidic gases and vapors; ammonia/amines; particles), according to acknowledged standards such as EN 14387

For long or intense exposure, use respiratory protective equipment. Suitable respiratory equipment: Positive pressure self contained breathing apparatus, according to acknowledged standards such as EN 137.

**Safety Data Sheet**

Material: 60098615

CATALYST T 40 0.250KG BOTTLE GL

Version 1.6 (GHS\_INT)

Print Date 26.05.2026

Date of last alteration: 04.04.2026

Observe the equipment manufacturer's information and wear time limits for respirators.

**Eye protection**

tight fitting protective goggles, according to acknowledged standards such as EN 166.

**Hand protection**

Protective gloves are required at all times when handling the material, according to recognized standards such as EN374.

Recommended glove types: Protective gloves made of butyl rubber  
thickness of the material: > 0,3 mm  
Breakthrough time: > 480 min

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

**Skin protection**

Chemical protective clothing, according to acknowledged standards such as EN 13034, full-body liquid-tight protection if necessary, according to acknowledged standards such as EN 14605, if handled uncovered. Please observe the instructions regarding permeability time which are provided by the supplier.

**8.2.2 Exposure to the environment limited and controlled**

Prevent material from entering surface waters, drains or sewers and soil. Observe local waste water bye-laws for organo tin and tin compounds. Do not introduce large amounts into purification plants.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

<b>Property:</b>	<b>Value:</b>	<b>Method:</b>
<b>Appearance</b>		
Physical state .....	liquid	
Colour.....	colourless dark	
<b>Odour</b>		
Odour .....	faint	
<b>Odour limit</b>		
Odour limit.....	no data available	
<b>pH-Value</b>		
pH-Value .....	Not applicable. Insoluble in water.	
<b>Melting point/freezing point</b>		
Melting point / melting range .....	not determined	
<b>Initial boiling point and boiling range</b>		
Boiling point / boiling range .....	160 - 161 °C at 1013 hPa	
<b>Flash point</b>		
Flash point.....	34 °C	(ISO 2719)
<b>Evaporation rate</b>		
Evaporation rate.....	no data available	
<b>Upper/lower flammability or explosive limits</b>		
Lower explosion limit .....	1,3 Vol-%	
Upper explosion limit .....	no data available	
<b>Vapour pressure</b>		
Vapour pressure.....	1 hPa at 20 °C	
<b>Solubility(ies)</b>		
Water solubility .....	practically insoluble	
<b>Vapour density</b>		
Relative gas/vapour density .....	no data available	
<b>Relative Density</b>		
Relative Density .....	0,982 (25 °C)	(DIN 51757)
	(Water / 4 °C = 1,00)	
Density .....	0,982 g/cm <sup>3</sup> (25 °C)	(DIN 51757)
<b>Partition coefficient: n-octanol/water</b>		
Partition coefficient: n-octanol/water.....	not applicable	

# Safety Data Sheet

Material: 60098615

CATALYST T 40 0.250KG BOTTLE GL

Version 1.6 (GHS\_INT)

Print Date 26.05.2026

Date of last alteration: 04.04.2026

**Auto-ignition temperature**

Ignition temperature .....: 210 °C

(DIN 51794)

**Decomposition temperature**

Thermal decomposition .....: exempt

**Viscosity**

Viscosity, dynamic.....: 2 mPa.s at 23 °C

Viscosity, kinematic.....: no data available

**Molecular mass**

Molecular mass .....: not applicable

**9.2 Other information**

Hydrolysis products reduce the flash point.

**SECTION 10: Stability and reactivity****10.1 – 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions**

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

**10.4 Conditions to avoid**

Moisture, heat, open flames, and other sources of ignition.

**10.5 Incompatible materials**

Reacts with water, basic substances and acids. The reaction takes place with the formation of alcohols.

**10.6 Hazardous decomposition products**

If stored and handled properly: none known. Alcohols under the effect of humidity, water and protic agents.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****11.1.1 General information**

Data derived for the product as a whole are of higher priority than data for single ingredients.

**11.1.2 Acute toxicity****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**Acute toxicity estimate (ATE):**ATE<sub>mix</sub> (Oral): > 2000 mg/kg**11.1.3 Skin corrosion/irritation****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**11.1.4 Serious eye damage/eye irritation****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**11.1.5 Respiratory or skin sensitization****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**11.1.6 Germ cell mutagenicity****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

# Safety Data Sheet

Material: 60098615

CATALYST T 40 0.250KG BOTTLE GL

Version 1.6 (GHS\_INT)

Print Date 26.05.2026

Date of last alteration: 04.04.2026

## 11.1.7 Carcinogenicity

**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

## 11.1.8 Reproductive toxicity

**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

## 11.1.9 Specific target organ toxicity - single exposure

**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

## 11.1.10 Specific target organ toxicity - repeated exposure

**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

## 11.1.11 Aspiration hazard

**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

## 11.2 Information on other hazards

### 11.2.1 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 11.2.2 Further toxicological information

None known.

**Data on substances:****Product of hydrolysis (Ethanol):**

Ethanol (64-17-5) is readily absorbed at all exposure routes. Ethanol may cause irritation of eyes and mucosa, trigger dysfunction of the central nervous system and cause nausea as well as dizziness. Chronic exposure to high amounts of ethanol may cause damage to liver and central nervous system.

## SECTION 12: Ecological information

### 12.1 Toxicity

**Assessment:**

For the product as a whole, no test data is available.

### 12.2 Persistence and degradability

**Assessment:**

Contact with water liberates ethanol and silicic acid.

**Data on substances:****Product of hydrolysis (Ethanol):**

Ethanol is readily biodegradable.

### 12.3 Bioaccumulative potential

**Assessment:**

Bioaccumulation is not excluded.

**Safety Data Sheet**

Material: 60098615

CATALYST T 40 0.250KG BOTTLE GL

Version 1.6 (GHS\_INT)

Print Date 26.05.2026

Date of last alteration: 04.04.2026

**12.4 Mobility in soil****Assessment:**

No data known.

**12.5 Results of PBT and vPvB assessment**

PBT assessment

No data available.

vPvB Assessment

No data available.

**12.6 Endocrine disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7 Other adverse effects**

none known

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****13.1.1 Material**

Recommendation:

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

**13.1.2 Uncleaned packaging**

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

**SECTION 14: Transport information****14.1 UN number or ID number**

ADR .....: UN1292

RID .....: UN1292

IMDG .....: UN1292

ICAO/IATA .....: UN1292

**14.2 Proper shipping name**

ADR .....: Tetraethylsilicat, Lösung

ADR (Domestic transport regulations).....: Tetraethyl silicate solution

RID .....: Tetraethylsilicat, Lösung

RID (Domestic transport regulations) .....: Tetraethyl silicate solution

IMDG .....: Tetraethyl silicate solution

ICAO/IATA .....: Tetraethyl silicate solution

**14.3 Transport hazard class**

ADR .....: 3

(Limited quantity (LQ): 5L)

RID .....: 3

IMDG .....: 3

ICAO/IATA .....: 3

**14.4 Packing group**

ADR .....: III

RID .....: III

**Safety Data Sheet**

Material: 60098615

CATALYST T 40 0.250KG BOTTLE GL

Version 1.6 (GHS\_INT)

Print Date 26.05.2026

Date of last alteration: 04.04.2026

IMDG.....: III  
 ICAO/IATA .....: III

**14.5 Environmental hazards**

Environmentally hazardous: no  
 Marine pollutant (IMDG): no

**14.6 Special precautions for user**

Relevant information in other sections has to be considered.

**14.7 Maritime transport in bulk according to IMO instruments**

Bulk transport in tankers is not intended.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

**15.2 Details of international registration status**

Relevant information about individual substance inventories, where available, is given below.

Japan .....: **ENCS** (Handbook of Existing and New Chemical Substances):  
 This product is listed in, or complies with, the substance inventory.

New Zealand.....: **NZIoC** (New Zealand Inventory of Chemicals):  
 This product is listed in, or complies with, the substance inventory. (For a correct interpretation of the New Zealand status, additional information like GHS classification or Group Standard is required.)

Australia .....: **AiIC** (Australian Inventory of Industrial Chemicals):  
 This product is listed in, or complies with, the substance inventory.

China.....: **IECSC** (Inventory of Existing Chemical Substances in China):  
 This product is listed in, or complies with, the substance inventory.

Canada .....: **DSL** (Domestic Substance List):  
 This product is listed in, or complies with, the substance inventory.

Philippines.....: **PICCS** (Philippine Inventory of Chemicals and Chemical Substances):  
 This product is listed in, or complies with, the substance inventory.

United States of America (USA).....: **TSCA** (Toxic Substance Control Act Chemical Substance Inventory):  
 All components of this product are listed as active or are in compliance with the substance inventory.

Taiwan .....: **TCSI** (Taiwan Chemical Substance Inventory):  
 This product is listed in, or complies with, the substance inventory. General note:  
 The Taiwanese chemicals regulation requires a phase 1 registration for TCSI-listed or TCSI-compliant substances if imports to Taiwan or manufacturing in Taiwan exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the duty of the importing/manufacturing legal entity to take care of this obligation.

European Economic Area (EEA).....: **REACH** (Regulation (EC) No 1907/2006):  
 General note: the registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations for substances imported into the EEA by customers or other downstream users must be fulfilled by the latter.

South Korea (Republic of Korea) .....: **AREC** (Act on Registration and Evaluation of Chemicals; "K-REACH"):  
 Please approach your regular contact for more detailed information.

**Safety Data Sheet**

Material: 60098615

CATALYST T 40 0.250KG BOTTLE GL

Version 1.6 (GHS\_INT)

Print Date 26.05.2026

Date of last alteration: 04.04.2026

**SECTION 16: Other information****16.1 Material**

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

WACKER restricts the use of its products inside the human body or in contact with bodily fluids and mucosa. For further details please review our Health Care Policy on [www.wacker.com](http://www.wacker.com). WACKER may cancel any delivery obligation(s) if the Health Care Policy is not observed.

**16.2 Further information:**

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

Classification	Rationale:
Flammable liquids, Category 3	On basis of test data.
Serious eye damage/eye irritation, Category 2	Calculation method
Specific target organ toxicity - single exposure, Category 3	Calculation method
Specific target organ toxicity - repeated exposure, Category 2	Calculation method
Long-term (chronic) aquatic hazard, Category 4	Calculation method

- End of Safety Data Sheet -