

**SAFETY DATA SHEET**

Material: 60037510

ELASTOSIL® RT 620 B

Version 2.5 (US)

Print Date 05/26/2026

Date of last alteration: 04/04/2026

**1. Product and company identification****1.1 Identification of the substance or preparation:**

**Trade name** ELASTOSIL® RT 620 B  
Use of the Substance/Mixture Industrial.  
Raw material for: elastomer products

**1.2 Company/undertaking identification:**

**Manufacturer/distributor:** Wacker Chemie AG  
Gisela-Stein-Straße 1  
81671 München  
Germany

**Customer information:** Wacker Chemical Corporation  
4950 S State Road  
Ann Arbor, MI 48108  
InfoLine:  
Tel (517) 264-8240  
Hours of operation:  
Monday - Friday, 8 am to 5 pm (eastern standard time)  
Corporate website: www.wacker.com

**Emergency telephone no. (24h):** (517) 264-8500

**Transportation emergency:** (800) 424-9300 (CHEMTREC, USA)  
(703) 527-3887 (CHEMTREC, international)

This SDS was prepared by the Regulatory Affairs and Product Safety Department (RAPS) of Wacker Chemical Corporation.

**2. Hazards identification****2.1 Classification of the substance or mixture**

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200):**

Not a hazardous substance or mixture.

**2.2 Label elements**

**GHS-Labeling:**

No labeling according to GHS required.

**2.3 Other hazards**

No data available.

Endocrine disrupting properties - human health: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Endocrine disrupting properties - environment: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**3. Composition/information on ingredients****3.1 Chemical characterization (preparation)**

Chemical characterization

Polydimethylsiloxane with functional groups and auxiliaries for addition cross-linking

**3.2 Information on ingredients:**

This material does not contain any ingredients above the permitted limit(s).

**SAFETY DATA SHEET**

Material: 60037510

ELASTOSIL® RT 620 B

Version 2.5 (US)

Print Date 05/26/2026

Date of last alteration: 04/04/2026

Substances listed in the Subsections "HAPS" and "California Proposition 65 Carcinogens / Reproductive Toxins" that are not listed in this section are only present at quantities below 0.1% for California Proposition 65 listed toxins or below 1% for non-carcinogenic HAPS or they are inextricably bound in the product. Specific chemical identities and/or exact percentage (concentration) of the composition may have been withheld as a trade secret.

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above  $\geq 0.1\%$ .

**4. First-aid measures****4.1 General information:**

Get medical attention if irritation occurs or if breathing becomes difficult.

**4.2 If inhaled**

No special treatment required.

**4.3 In case of skin contact**

Remove material with a waterless skin cleaner from skin and clothing. Wash then with plenty of water or water and soap.

**4.4 In case of eye contact**

If contact with eyes, immediately flush eyes with plenty of water.

**4.5 If swallowed**

No special treatment required. Get medical attention if symptoms occur. Show label.

**5. Fire-fighting measures****5.1 Flammable properties:**

Property:	Value:	Method:
Flash point.....	> 200 °C (> 392 °F)	(DIN 51376)
Boiling point/boiling range .....	exempt	
Lower explosion limit.....	exempt	
Upper explosion limit.....	exempt	
Ignition temperature .....	> 450 °C (> 842 °F)	(DIN 51794)
NFPA Hazard Class (comb./flam.liquid).....	IIIB	

**5.2 Fire and explosion hazards:**

This material does not present any unusual fire or explosion hazards.

**5.3 Recommended extinguishing media:**

water-mist , carbon dioxide , sand , dry chemical or alcohol-resistant foam .

**5.4 Unsuitable extinguishing media:**

water-spray , sharp water jet .

**5.5 Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases**

Hazardous decomposition products: carbon dioxide , carbon monoxide , formaldehyde , silicon dioxide and incompletely burnt hydrocarbons .

**5.6 Fire fighting procedures:**

Fire fighters should wear full protective clothing including a self-contained breathing apparatus.

**6. Accidental release measures****6.1 Precautions:**

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. If material is released indicate risk of slipping. Do not walk through spilled material.

**HAZWOPER PPE Level:** D

**SAFETY DATA SHEET**

Material: 60037510

ELASTOSIL® RT 620 B

Version 2.5 (US)

Print Date 05/26/2026

Date of last alteration: 04/04/2026

**6.2 Containment:**

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Contain any fluid that runs out using suitable material (e.g. earth). Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

Spills of material which could reach surface waters must be reported to the United States Coast Guard National Response Center's toll free phone number (800) 424-8802.

**6.3 Methods for cleaning up**

Take up mechanically and dispose of according to local/state/federal regulations. Do not flush away with water. For small amounts: Absorb with a neutral (non-acidic / non-basic) liquid binding material such as diatomaceous earth and dispose of according to government regulations. For large amounts: Liquids may be recovered using suction devices or pumps. If flammable, only air driven or properly rated electrical equipment should be used. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Silicone fluids are slippery; spills are a safety hazard. Apply sand or other inert granular material to improve traction.

**7. Handling and storage****7.1 Handling****Precautions for safe handling:**

Avoid formation of aerosols. In case of aerosol formation special protective measures are required (exhausting by suction, respiratory protection). Spilled substance increases risk of slipping. Observe information in section 8.

**Precautions against fire and explosion:**

Observe the general rules for fire prevention.

**7.2 Storage****Conditions for storage rooms and vessels:**

Observe local/state/federal regulations.

**Advice for storage of incompatible materials:**

Observe local/state/federal regulations.

**Further information for storage:**

Store in a dry and cool place.

**8. Exposure controls and personal protection****8.1 Engineering controls****Ventilation:**

Use with adequate ventilation.

**Local exhaust:**

not necessary

**8.2 Associate substances with specific control parameters such as limit values**

none known

**8.3 Personal protection equipment (PPE)****Respiratory protection:**

not necessary

**Hand protection:**

Recommendation: rubber gloves .

**Eye protection:**

chemical safety goggles

**Other protective clothing or equipment:**

not necessary

**8.4 General hygiene and protection measures:**

Do not eat or drink when handling. Wash thoroughly after handling.

**SAFETY DATA SHEET**

Material: 60037510

ELASTOSIL® RT 620 B

Version 2.5 (US)

Print Date 05/26/2026

Date of last alteration: 04/04/2026

**9. Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Property:	Value:	Method:
Physical state .....	liquid	
Colour .....	colourless	
Odour .....	odourless	
Odour Threshold .....	no data available	
Melting point .....	not determined	
Boiling point/boiling range .....	exempt	
Lower explosion limit .....	exempt	
Upper explosion limit .....	exempt	
Flash point .....	> 200 °C	(DIN 51376)
Ignition temperature .....	> 450 °C	(DIN 51794)
Thermal decomposition .....	> 200 °C	
pH .....	Not applicable. Insoluble in water.	
Viscosity, kinematic .....	no data available	
Viscosity, dynamic .....	900 - 1500 mPa.s at 23 °C	(Brookfield)
Water solubility .....	practically insoluble at 20 °C	
Partition coefficient: n-octanol/water .....	not applicable	
Vapour pressure .....	exempt	
Density .....	0.98 g/cm <sup>3</sup> (23 °C; 1013 hPa)	(DIN 51757)
Relative vapour density .....	no data available	
Particle Size Distribution .....	Not applicable.	

**9.2 Other information**

No data available.

Property:	Value:	Method:
Evaporation rate .....	no data available	
Molecular weight .....	not applicable	

**10. Stability and reactivity****10.1 General information:**

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

**10.2 Conditions to avoid**

None known.

**10.3 Materials to avoid**

None known.

**10.4 Hazardous decomposition products**

If stored and handled properly: none known. Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

**10.5 Further information:**

Hazardous polymerization cannot occur.

**11. Toxicological information****11.1 Information on toxicological effects****11.1.1 Acute toxicity****Product details:**

Exposure routes	Result/Effect
Oral	LD50 > 2000 mg/kg Species: Rat, Source: Conclusion by analogy

**SAFETY DATA SHEET**

Material: 60037510

ELASTOSIL® RT 620 B

Version 2.5 (US)

Print Date 05/26/2026

Date of last alteration: 04/04/2026

dermal	LD50 > 2000 mg/kg Species: Rat, Source: Conclusion by analogy
--------	--

**11.1.2 Skin corrosion/irritation****Product details:**

No skin irritation (Species: Rabbit, Source: Conclusion by analogy)
--

**11.1.3 Serious eye damage/eye irritation****Product details:**

No eye irritation (Species: Rabbit, Source: Conclusion by analogy)
---

**11.1.4 Respiratory or skin sensitization****Product details:**

Exposure routes	Result
Skin contact	Does not cause skin sensitization. (Species: Guinea pig, Test system: Buehler Test, Method: OECD 406, Source: Conclusion by analogy)
Inhalation	No data available.

**11.1.5 Germ cell mutagenicity****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**11.1.6 Carcinogenicity****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**11.1.7 Reproductive toxicity****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**11.1.8 Specific target organ toxicity - single exposure****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**11.1.9 Specific target organ toxicity - repeated exposure****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**11.1.10 Aspiration hazard****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**11.1.11 Endocrine disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**11.1.12 Further toxicological information**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Other information: None known.

**SAFETY DATA SHEET**

Material: 60037510

ELASTOSIL® RT 620 B

Version 2.5 (US)

Print Date 05/26/2026

Date of last alteration: 04/04/2026

**12. Ecological information****12.1 Toxicity****Assessment:**

Evaluation on basis of physical-chemical properties: No expected damaging effects to aquatic organisms.

**12.2 Persistence and degradability****Assessment:**

Polymer component: biologically not degradable. Elimination by adsorption to activated sludge.

**12.3 Bioaccumulative potential****Assessment:**

Polymer component: No adverse effects expected.

**12.4 Mobility in soil****Assessment:**

Polymer component: insoluble in water.

**12.5 Results of PBT and vPvB assessment**

PBT assessment

No data available.

vPvB Assessment

No data available.

**12.6 Endocrine disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7 Other adverse effects**

none known

**13. Disposal considerations****13.1 Product disposal****Recommendation:**

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

**13.2 Packaging disposal****Recommendation:**

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

**14. Transport information****14.1 US DOT & CANADA TDG SURFACE**

Valuation .....: Not regulated for transport

**14.2 Transport by sea IMDG-Code**

Valuation .....: Not regulated for transport

**14.3 Air transport ICAO-TI/IATA-DGR**

Valuation .....: Not regulated for transport

**SAFETY DATA SHEET**

Material: 60037510

ELASTOSIL® RT 620 B

Version 2.5 (US)

Print Date 05/26/2026

Date of last alteration: 04/04/2026

**15. Regulatory information****15.1 U.S. Federal regulations****TSCA inventory status and TSCA information:**

This material or its components are listed on or are in compliance with the requirements of the TSCA Chemical Substance Inventory.

**TSCA 12(b) Export Notification:**

This material does not contain reportable amounts of any TSCA 12(b) listed chemicals.

**CERCLA Regulated Chemicals:**

This material does not contain any CERCLA regulated chemicals.

**SARA 302 EHS Chemicals:**

This material does not contain any SARA extremely hazardous substances.

**SARA 311/312 Hazard Class:**

No SARA Hazards

**SARA 313 Chemicals:**

This material does not contain any SARA 313 chemicals above de minimus levels.

**HAPS (Hazardous Air Pollutants):**

This material does not contain any hazardous air pollutants.

**15.2 US State Regulations****US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)**

This material does not contain any chemicals known to the State of California to cause cancer.

This material does not contain any chemicals known to the State of California to cause reproductive effects.

**Massachusetts Right To Know**

7664-41-7 Ammonia

**15.3 Details of international registration status**

Relevant information about individual substance inventories, where available, is given below.

Japan .....	<b>ENCS</b> (Handbook of Existing and New Chemical Substances): This product is listed in, or complies with, the substance inventory.
New Zealand .....	<b>NZIoC</b> (New Zealand Inventory of Chemicals): This product is listed in, or complies with, the substance inventory. (For a correct interpretation of the New Zealand status, additional information like GHS classification or Group Standard is required.)
Australia .....	<b>AIIC</b> (Australian Inventory of Industrial Chemicals): This product is listed in, or complies with, the substance inventory.
China.....	<b>IECSC</b> (Inventory of Existing Chemical Substances in China): This product is listed in, or complies with, the substance inventory.
Canada .....	<b>DSL</b> (Domestic Substance List): This product is listed in, or complies with, the substance inventory.
Philippines.....	<b>PICCS</b> (Philippine Inventory of Chemicals and Chemical Substances): This product is listed in, or complies with, the substance inventory.
United States of America (USA).....	<b>TSCA</b> (Toxic Substance Control Act Chemical Substance Inventory): All components of this product are listed as active or are in compliance with the substance inventory.
Taiwan .....	<b>TCSI</b> (Taiwan Chemical Substance Inventory): This product is listed in, or complies with, the substance inventory. General note: The Taiwanese chemicals regulation requires a phase 1 registration for TCSI-listed or TCSI-compliant substances if imports to Taiwan or manufacturing in Taiwan exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the duty of the importing/manufacturing legal entity to take care of this obligation.

**SAFETY DATA SHEET**

Material: 60037510

ELASTOSIL® RT 620 B

Version 2.5 (US)

Print Date 05/26/2026

Date of last alteration: 04/04/2026

European Economic Area (EEA)..... : **REACH** (Regulation (EC) No 1907/2006):  
 General note: the registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations for substances imported into the EEA by customers or other downstream users must be fulfilled by the latter.

South Korea (Republic of Korea) ..... : **AREC** (Act on Registration and Evaluation of Chemicals; "K-REACH"):  
 Please approach your regular contact for more detailed information.

**16. Other information****16.1 Additional information:**

This Safety Data Sheet (SDS) meets the requirements of the Federal OSHA Hazard Communication Standard (29 CFR 1910.1200). This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee expressed or implied, is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license under valid patents. This SDS provides selected regulatory information on this product, including its components. This is not intended to include all regulations. It is the responsibility of the user to know and comply with all applicable rules, regulations and laws relating to the product being used.

Vertical lines in the left-hand margin indicate changes compared with the previous version.

WACKER restricts the use of its products inside the human body or in contact with bodily fluids and mucosa. For further details please review our Health Care Policy on [www.wacker.com](http://www.wacker.com). WACKER may cancel any delivery obligation(s) if the Health Care Policy is not observed.

**16.2 Glossary of Terms:**

ACGIH - American Conference of Governmental Industrial Hygienists	ppm - Parts per Million
DOT - Department of Transportation	SARA - Superfund Amendments and Reauthorization Act
hPa - Hectopascals	STEL - Short Term Exposure Limit
mPa*s - Milli Pascal-Seconds	TSCA - Toxic Substances Control Act
OSHA - Occupational Safety and Health Administration	TWA - Time Weighted Average
PEL - Permissible Exposure Limit	

<b>Flash point determination methods</b> .....	<b>Common name</b>
ASTM D56.....	Tagliabue (Tag) closed cup
ASTM D92, DIN 51376, ISO 2592 .....	Cleveland open cup
ASTM D93, DIN 51758, ISO 2719 .....	Pensky-Martens closed cup
ASTM D3278, DIN 55680, ISO 3679 .....	Setaflash or Rapid closed cup
DIN 51755.....	Abel-Pensky closed cup

**16.3 Conversion table:**

Pressure:.....: 1 hPa \* 0.75 = 1 mm Hg = 1 torr; 1 bar = 1000 hPa  
 Viscosity:.....: 1 mPa\*s = 1 centipoise (cP)