

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60002412

WACKER® CATALYST T 47

Revision Date: 02.04.2026 / Version 6.5 (GB)

Date of last issue: 29.11.2024

Print Date: 03.06.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Commercial product name:** WACKER® CATALYST T 47**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of substance / preparation:

Industrial. Commercial.

Intermediate chemical

1.3 Details of the supplier of the safety data sheet

Manufacturer/distributor:

Wacker Chemie AG

Street/POB-No.:

Gisela-Stein-Straße 1

State/postal code/city:

D 81671 München

Telephone:

+49 89 6279-0

Contact point:

Wacker Chemicals Ltd.

Street/POB-No.:

2 Arlington Square, Downshire Way

Postal code/city:

Bracknell RG12 1WA

Country:

United Kingdom

Telephone:

+44 1344 401 670

Information about the Safety Data Sheet:

Telephone
eMail

+49 8677 83-4888

WLCP-MSDS@wacker.com

1.4 Emergency telephone number

Emergency Information:

+44 1273 289451**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

Classification (REGULATION (EC) No 1272/2008 as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567):

Classification	H-Code
Long-term (chronic) aquatic hazard, Category 4	H413
Specific target organ toxicity - repeated exposure, Category 1 (thymus)	H372
Specific target organ toxicity - single exposure, Category 3	H335
Serious eye damage/eye irritation, Category 2	H319
Reproductive toxicity, Category 2	H361d
Acute toxicity, Category 4, by inhalation / vapour	H332
Flammable liquids, Category 3	H226

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008 as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567):

Pictogram(s):



Signal Word: Danger

H-Code	Hazard Statements
H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs (thymus) through prolonged or repeated exposure.

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60002412

WACKER® CATALYST T 47

Revision Date: 02.04.2026 / Version 6.5 (GB)

Date of last issue: 29.11.2024

Print Date: 03.06.2026

H413	May cause long lasting harmful effects to aquatic life.
P-Code	Precautionary Statements
P201	Obtain special instructions before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P243	Take action to prevent static discharges.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/ doctor if you feel unwell.
P405	Store locked up.

Hazard ingredients (labelling):

Tetraethyl silicate

Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstannane

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 31,4 %.

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 35 %.

2.3 Other hazards

No data available.

Endocrine disrupting properties - human health: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Endocrine disrupting properties - environment: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients**3.1 Substances**

not applicable

3.2 Mixtures**3.2.1 Chemical characteristics**

Organotin compound + Silicic acid ester

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60002412

WACKER® CATALYST T 47

Revision Date: 02.04.2026 / Version 6.5 (GB)

Date of last issue: 29.11.2024

Print Date: 03.06.2026

3.2.2 Hazardous ingredients

Tetraethyl silicate		>=60 – <=70 %
CAS-No.: 78-10-4	EC-No.: 201-083-8	Index-No.: 014-005-00-0
INHA	[1], [2]	REACH No.: 01-2119496195-28
Classification (REGULATION (EC) No 1272/2008 as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567) *	Flam. Liq. 3 / H226; Acute Tox. 4, by inhalation / vapour / H332; Eye Irrit. 2 / H319; STOT SE 3 / H335	
Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)diocylstannane		>=20 – <30 %
CAS-No.: 93925-43-0	EC-No.: 300-346-5	
INHA	[1]	REACH No.: 01-2120753666-44
Classification (REGULATION (EC) No 1272/2008 as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567) *	Aquatic Chronic 4 / H413; STOT RE 1 / H372 (thymus); Acute Tox. 4, oral / H302; Eye Irrit. 2 / H319; Repr. 2 / H361d; Flam. Liq. 3 / H226	
Bis(neodecanoyloxy)diocylstannane		>=3 – <7 %
CAS-No.: 68299-15-0	EC-No.: 269-595-4	
INHA	[1]	
Classification (REGULATION (EC) No 1272/2008 as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567) *	STOT RE 2 / H373; Aquatic Chronic 4 / H413	

Type: INHA: ingredient, VERU: impurity

REACH registered substances may be included as impurities. These do not necessarily require identified uses and exposure scenarios in the safety data sheet.

[1] = Hazardous or environmentally harmful substance; [2] = substance with a Community workplace exposure limit; [3] = PBT substance; [4] = vPvB substance; [5] = Endocrine disrupting properties

*For explanation of abbreviations see section 16.

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above ≥ 0.1%.

SECTION 4: First aid measures**4.1 Description of first aid measures****General information:**

Take persons to a safe place. Observe self-protection for first aid. Pregnant women exposed to this substance must seek medical advice.

After contact with the eyes:

Rinse immediately with plenty of water for 10-15 minutes. Keep eyelids well open to rinse the whole eye surface and eyelids with water. Seek medical advice in case of continuous irritation.

After contact with the skin:

Wipe off excess material with cloth or paper. Remove contaminated or soaked clothing. Immediately rinse with plenty of soap and water. In serious cases, use emergency shower immediately. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

After inhalation:

Keep the patient calm. If unconscious place in stable sideways position. Protect against loss of body heat. Seek medical advice and clearly identify substance.

After swallowing:

If conscious, give several small portions of water to drink. Do not induce vomiting. Seek medical advice and clearly identify substance.

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60002412

WACKER® CATALYST T 47

Revision Date: 02.04.2026 / Version 6.5 (GB)

Date of last issue: 29.11.2024

Print Date: 03.06.2026

4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

4.3 Indication of any immediate medical attention and special treatment needed

After inhalation: treat as early as possible using cortisone spray. After exposure, specialist advice (e.g. gynaecology/birth aid or, if necessary, toxicology/human genetics) is recommended. Product contains reproductive toxins (may cause harm to the unborn child and /or impairs male or female reproductive function).

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

alcohol-resistant foam , carbon dioxide , water mist , sprinkler system , sand , extinguishing powder .

Extinguishing media which must not be used for safety reasons:

water jet .

5.2 Special hazards arising from the substance or mixture

Risk of hazardous gasses or fumes in the event of fire. Exposure to combustion products may be a health hazard! Hazardous combustion products: toxic and very toxic fumes.

5.3 Advice for firefighters

Special protective equipment for fire fighting:

Use respiratory protection independent of recirculated air. Keep unprotected persons away.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. If material is released indicate risk of slipping. Do not walk through spilled material.

6.2 Environmental precautions

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Contain any fluid that runs out using suitable material (e.g. earth). Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

6.3 Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations. Do not flush away with water. For small amounts: Absorb with a neutral (non-acidic / non-basic) liquid binding material such as diatomaceous earth and dispose of according to government regulations. For large amounts: Liquids may be recovered using suction devices or pumps. If flammable, only air driven or properly rated electrical equipment should be used. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Silicone fluids are slippery; spills are a safety hazard. Apply sand or other inert granular material to improve traction.

Further information:

Exhaust vapours. Eliminate all sources of ignition. Consider explosion protection. Observe notes under section 7.

6.4 Reference to other sections

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60002412

WACKER® CATALYST T 47

Revision Date: 02.04.2026 / Version 6.5 (GB)

Date of last issue: 29.11.2024

Print Date: 03.06.2026

SECTION 7: Handling and storage**7.1 Precautions for safe handling****General information:**

Avoid exposure by technical measures or personal protective equipment.

Precautions for safe handling:

Ensure adequate ventilation. Must be syphoned off in situ. Spilled substance increases risk of slipping. Avoid formation of aerosols. In case of aerosol formation special protective measures are required (exhausting by suction, respiratory protection). Observe information in section 8. Keep away from incompatible substances in accordance with section 10.

Precautions against fire and explosion:

Flammable vapors may accumulate and form explosive mixtures with air in containers, process vessels, including partial, empty and uncleaned containers and vessels, or other enclosed spaces. Keep away from sources of ignition and do not smoke. Take precautionary measures against electrostatic charging. Cool endangered containers with water.

7.2 Conditions for safe storage, including any incompatibilities**Conditions for storage rooms and vessels:**

Observe local/state/federal regulations.

Advice for storage of incompatible materials:

Observe local/state/federal regulations.

Further information for storage:

Store in a dry and cool place. Protect against moisture. Store container in a well ventilated place.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Maximum airborne concentrations at the workplace:**

Substance	Type	mg/m ³	ppm	Dust fract.	Fibre/m ³
Tetraethyl silicate	OEL	87,0	10,0		
Tetraethyl silicate	EU	44,0	5,0		
Ethanol	OEL	1920,0	1000,0		
Aerosol - inhalable fraction		10,0			
Ethylacetate	OEL	1460,0	400,0		
Ethylacetate	EU	734,0	200,0		

The aerosol limit specified is a recommendation should aerosol be formed during processing.

Derived No-Effect Level (DNEL):**Tetraethyl silicate**

Area of use:	Value:
Worker; dermal; systemic (acute)	12,1 mg/kg/day
Worker; dermal; systemic (long term)	12,1 mg/kg/day
Worker; by inhalation; systemic (acute)	85 mg/m ³
Worker; by inhalation; local (acute)	85 mg/m ³
Worker; by inhalation; systemic (long term)	85 mg/m ³
Worker; by inhalation; local (long term)	85 mg/m ³
Consumer; dermal; systemic (acute)	8,4 mg/kg/day
Consumer; dermal; systemic (long term)	8,4 mg/kg/day
Consumer; by inhalation; systemic (acute)	25 mg/m ³
Consumer; by inhalation; local (acute)	25 mg/m ³
Consumer; by inhalation; systemic (long term)	25 mg/m ³
Consumer; by inhalation; local (long term)	25 mg/m ³

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60002412

WACKER® CATALYST T 47

Revision Date: 02.04.2026 / Version 6.5 (GB)

Date of last issue: 29.11.2024

Print Date: 03.06.2026

Predicted No Effect Concentration (PNEC):**Tetraethyl silicate**

Area of use:	Value:
freshwater	0,192 mg/l The value has been derived for the following hydrolysis product: ethanol
marine water	0,0192 mg/l The value has been derived for the following hydrolysis product: ethanol
Sediment (freshwater)	0,18 mg/kg wet weight The value has been derived for the following hydrolysis product: ethanol
Sediment (marine water)	0,018 mg/kg wet weight The value has been derived for the following hydrolysis product: ethanol
Soil	0,05 mg/kg wet weight The value has been derived for the following hydrolysis product: ethanol
sewage treatment plant	4000 mg/l The value has been derived for the following hydrolysis product: ethanol
Intermittent release	10 mg/l The value has been derived for the following hydrolysis product: ethanol

8.2 Exposure controls**8.2.1 Exposure in the work place limited and controlled****General protection and hygiene measures:**

Avoid exposure - obtain special instructions before use. Avoid exposure of the substance to pregnant women. Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. Use with adequate ventilation. Preventive skin protection recommended. Remove contaminated, soaked clothing immediately. Clean work areas regularly. Wash hands at the end of work and before eating. Provide emergency shower and eye-bath. Keep working clothes separately. Do not eat, drink or smoke when handling. Keep away from foodstuff, drink and feedingstuff.

Further information for system design and engineering measures

Observe information in section 7. Observe national regulatory requirements.

Personal protection equipment:**Respiratory protection**

If inhalative exposure above the occupational exposure limit cannot be excluded, adequate respiratory protection equipment must be used. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136. Recommended Filter type: Gas filter type ABEK (certain inorganic, organic and acidic gases and vapors; ammonia/amines), according to acknowledged standards such as EN 14387

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136. Recommended Filter type: Combined filter type ABEK-P2 (certain inorganic, organic and acidic gases and vapors; ammonia/amines; particles), according to acknowledged standards such as EN 14387

For long or intense exposure, use respiratory protective equipment. Suitable respiratory equipment: Positive pressure self contained breathing apparatus, according to acknowledged standards such as EN 137.

Observe the equipment manufacturer's information and wear time limits for respirators.

Eye protection

tight fitting protective goggles, according to acknowledged standards such as EN 166.

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60002412

WACKER® CATALYST T 47

Revision Date: 02.04.2026 / Version 6.5 (GB)

Date of last issue: 29.11.2024

Print Date: 03.06.2026

Hand protection

Protective gloves are required at all times when handling the material, according to recognized standards such as EN374.

Recommended glove types: Protective gloves made of nitrile rubber

thickness of the material: > 0,4 mm

Breakthrough time: > 480 min

Recommended glove types: Protective gloves made of butyl rubber

thickness of the material: > 0,3 mm

Breakthrough time: > 480 min

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Note that, due to the numerous external influences (such as temperature), a chemically resistant protective glove in daily use may have a service life that is considerably shorter than the measured break through time.

Skin protection

Chemical protective clothing, according to acknowledged standards such as EN 13034, full-body liquid-tight protection if necessary, according to acknowledged standards such as EN 14605, if handled uncovered. Please observe the instructions regarding permeability time which are provided by the supplier.

8.2.2 Exposure to the environment limited and controlled

Prevent material from entering surface waters, drains or sewers and soil. Observe local waste water bye-laws for organo tin and tin compounds. Do not introduce large amounts into purification plants.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Property:	Value:	Method:
Physical state	liquid	
Colour	yellowish	
Odour	faint	
Odour Threshold	no data available	
Melting point	not applicable	
Boiling point/boiling range	> 100 °C at 1013 hPa	
Lower explosion limit	1,3 Vol-%	
Upper explosion limit	23 Vol-%	
Flash point	34 °C	(DIN 51755)
Ignition temperature	215 °C	(DIN 51794)
Thermal decomposition	no data available	
pH	Not applicable. Insoluble in water.	
Viscosity, kinematic	1,6 mm ² /s at 25 °C	(DIN 51562)
Water solubility	practically insoluble	
Partition coefficient: n-octanol/water	not applicable	
Vapour pressure	12,5 hPa at 20 °C	
Density	1,02 g/cm ³ (23 °C)	(not specified)
Relative vapour density	no data available	
Particle Size Distribution	Not applicable.	

9.2 Other information

Hydrolysis products reduce the flash point.

Property:	Value:	Method:
Evaporation rate	no data available	
Molecular weight	not applicable	

SECTION 10: Stability and reactivity**10.1 – 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions**

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60002412

WACKER® CATALYST T 47

Revision Date: 02.04.2026 / Version 6.5 (GB)

Date of last issue: 29.11.2024

Print Date: 03.06.2026

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

10.4 Conditions to avoid

Moisture, heat, open flames, and other sources of ignition.

10.5 Incompatible materials

Reacts with water, basic substances and acids. The reaction takes place with the formation of ethanol.

10.6 Hazardous decomposition products

Ethanol by hydrolysis.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****11.1.1 Acute toxicity****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

Acute toxicity estimate (ATE):

ATE_{mix} (Oral): > 2000 mg/kg

ATE_{mix} (by inhalation / vapour): 10,3 mg/l/4 h

11.1.2 Skin corrosion/irritation**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.3 Serious eye damage/eye irritation**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.4 Respiratory or skin sensitization**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.5 Germ cell mutagenicity**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.6 Carcinogenicity**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.7 Reproductive toxicity**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.8 Specific target organ toxicity - single exposure**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60002412

WACKER® CATALYST T 47

Revision Date: 02.04.2026 / Version 6.5 (GB)

Date of last issue: 29.11.2024

Print Date: 03.06.2026

11.1.9 Specific target organ toxicity - repeated exposure**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.10 Aspiration hazard**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.2 Information on other hazards**11.2.1 Endocrine disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2 Further toxicological information

None known.

SECTION 12: Ecological information**12.1 Toxicity****Assessment:**

No data known.

12.2 Persistence and degradability**Assessment:**

Contact with water liberates ethanol and silicic acid.

12.3 Bioaccumulative potential**Assessment:**

No data known.

12.4 Mobility in soil**Assessment:**

No data known.

12.5 Results of PBT and vPvB assessment

PBT assessment

No data available.

vPvB Assessment

No data available.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

none known

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60002412

WACKER® CATALYST T 47

Revision Date: 02.04.2026 / Version 6.5 (GB)

Date of last issue: 29.11.2024

Print Date: 03.06.2026

SECTION 13: Disposal considerations**13.1 Waste treatment methods****13.1.1 Material**

Recommendation:

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

13.1.2 Uncleaned packaging

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

13.1.3 Waste Disposal Legislation Ref.No.(EC)

It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

SECTION 14: Transport information**14.1 UN number or ID number**

ADR: UN1292
RID: UN1292
IMDG.....: UN1292
ICAO/IATA: UN1292

14.2 Proper shipping name

ADR: Tetraethylsilicat, Lösung
ADR (Domestic transport regulations).....: Tetraethyl silicate solution
RID: Tetraethylsilicat, Lösung
RID (Domestic transport regulations): Tetraethyl silicate solution
IMDG.....: Tetraethyl silicate solution
ICAO/IATA: Tetraethyl silicate solution

14.3 Transport hazard class

ADR: 3
(Limited quantity (LQ): 5L)
RID: 3
IMDG.....: 3
ICAO/IATA: 3

14.4 Packing group

ADR: III
RID: III
IMDG.....: III
ICAO/IATA: III

14.5 Environmental hazards

Environmentally hazardous: no
Marine pollutant (IMDG): no

14.6 Special precautions for user

Relevant information in other sections has to be considered.

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60002412

WACKER® CATALYST T 47

Revision Date: 02.04.2026 / Version 6.5 (GB)

Date of last issue: 29.11.2024

Print Date: 03.06.2026

14.7 Maritime transport in bulk according to IMO instruments

Bulk transport in tankers is not intended.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

Control of Major Accident Hazards Regulations 2015 (COMAH)

Listed in Directive	Ser. number in list	Qualifying Quantity 1	Qualifying Quantity 2
FLAMMABLE LIQUIDS	P5c	5.000 t	50.000 t

Relevant regulations:

SI 2002/1689: CHIP Regulations 2002

SI 2002/2677: COSHH Regulations 2002

SI 1999/3242: Management of Health & Safety at Work Regulations 1999

Health & Safety at Work Act 1974

SI 1993/1643: Environmental Protection Act 1993 & Subsidiary Regulations.

Other national and local measures relating to the workplace, pollution control, environmental protection and waste control.

Other specifications, restrictions and prohibitions:

REACH Annex XVII: This product contains dioctyltin compounds in an amount of over 0.1 wt.%. Annex XVII, entry 20, of regulation 1907/2006, in its current version, must be taken into account.

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals: Banned and/or restricted

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors - ANNEX I. RESTRICTED EXPLOSIVES PRECURSORS: Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors - ANNEX II. REPORTABLE EXPLOSIVES PRECURSORS: Not applicable

Details of international registration status

Relevant information about individual substance inventories, where available, is given below.

Japan	: ENCS (Handbook of Existing and New Chemical Substances): This product is listed in, or complies with, the substance inventory.
New Zealand	: NZIoC (New Zealand Inventory of Chemicals): This product is listed in, or complies with, the substance inventory. (For a correct interpretation of the New Zealand status, additional information like GHS classification or Group Standard is required.)
Australia	: AIIC (Australian Inventory of Industrial Chemicals): This product is listed in, or complies with, the substance inventory.
China.....	: IECSC (Inventory of Existing Chemical Substances in China): This product is listed in, or complies with, the substance inventory.
Canada	: DSL (Domestic Substance List): This product is not listed or in compliance with the substance inventory.
Philippines.....	: PICCS (Philippine Inventory of Chemicals and Chemical Substances): This product is not listed or in compliance with the substance inventory.
Taiwan	: TCSI (Taiwan Chemical Substance Inventory): This product is listed in, or complies with, the substance inventory. General note: The Taiwanese chemicals regulation requires a phase 1 registration for TCSI-listed or TCSI-compliant substances if imports to Taiwan or manufacturing in Taiwan exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the duty of the importing/manufacturing legal entity to take care of this obligation.

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60002412

WACKER® CATALYST T 47

Revision Date: 02.04.2026 / Version 6.5 (GB)

Date of last issue: 29.11.2024

Print Date: 03.06.2026

European Economic Area (EEA)..... : **REACH** (Regulation (EC) No 1907/2006):

General note: the registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations for substances imported into the EEA by customers or other downstream users must be fulfilled by the latter.

South Korea (Republic of Korea) : **AREC** (Act on Registration and Evaluation of Chemicals; "K-REACH"):

Please approach your regular contact for more detailed information.

15.2 Chemical safety assessment

A chemical safety assessment according to (EC) regulation 1907/2006 (REACH) has not been carried out for this product.

SECTION 16: Other information

16.1 Material

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

WACKER restricts the use of its products inside the human body or in contact with bodily fluids and mucosa. For further details please review our Health Care Policy on www.wacker.com. WACKER may cancel any delivery obligation(s) if the Health Care Policy is not observed.

16.2 Further information:

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

Key or legend to abbreviations and acronyms used in the safety data sheet

ABEK - Multi-Range Filter A, B, E, K; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; APF - Assigned Protection Factor; CAS No. - Chemical Abstracts Service Registry Number; DFG - German Research Foundation; DIN - German institute for standardization; DOC - Dissolved Organic Carbon; d/w - days per week; EC / CE / EG - European Community; EC50 / CE50 - Median effective concentration; ECHA - European Chemicals Agency; ED - endocrine disruptor; EG-RL - test method according to Regulation 440/2008; EN - European Standard; ERC - Environmental Release Category; g/cm³ - gram per cubic centimeter; h - hour(s); H-Code - hazard statement code(s); hPa - Hectopascal; IATA Regs - International Air Transport Association (IATA) Dangerous Goods Regulations; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 / CI50 - half maximal inhibitory concentration; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IMDG Code - International Maritime Dangerous Goods Code; ISO - International Organization for Standardization; LC50 / CL50 - medium lethal concentration; LD50 / DL50 - medium lethal dose; LOAEC - Lowest Observed Adverse Effect Concentration; LOAEL - Lowest Observed Adverse Effect Level; MARPOL - International Convention for the Prevention of Marine Pollution from Ships; mg/g - milligrams per gram; mg/kg - milligrams per kilogram; mg/l - milligrams per liter; mg/m³ - milligrams per cubic meter; min - minutes; mJ - millijoule; mm - millimeter; mm²/s - square millimeter per second; mPa.s - Millipascal second(s); MSDS / SDB / SDS - safety data sheet; No Observed Adverse Effect Concentration; NOAEL - No Observed adverse effect level; NOEC - No Observed Effect Concentration; NOEL - No Observed Effect Level; OECD - Organization for Economic Cooperation and Development; PBT - persistent, bioaccumulative, toxic; PC - product category; P-Code - precautionary statement code(s); ppm - parts per million; PROC - process category; RCP - reciprocal calculation-based procedure; RID - convention concerning international carriage by rail; SU - sector of use; SVHC - substance of very high concern; Vol% - volume percent; UN No. - United Nations Dangerous Goods Number; vPvB - very Persistent, very Bioaccumulative

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Material: 60002412

WACKER® CATALYST T 47

Revision Date: 02.04.2026 / Version 6.5 (GB)

Date of last issue: 29.11.2024

Print Date: 03.06.2026

Full text of H-Statements:

Flam. Liq. 3; H226 : Flammable liquids Category 3; Flammable liquid and vapour.
 Acute Tox. 4; H332..... : Acute toxicity Category 4; Harmful if inhaled.
 Eye Irrit. 2; H319..... : Serious eye damage/eye irritation Category 2; Causes serious eye irritation.
 STOT SE 3; H335..... : Specific target organ toxicity - single exposure Category 3; May cause respiratory irritation.
 Aquatic Chronic 4; H413 : Long-term (chronic) aquatic hazard Category 4; May cause long lasting harmful effects to aquatic life.
 STOT RE 1; H372 : Specific target organ toxicity - repeated exposure Category 1; Causes damage to organs through prolonged or repeated exposure.
 Acute Tox. 4; H302..... : Acute toxicity Category 4; Harmful if swallowed.
 Eye Irrit. 2; H319..... : Serious eye damage/eye irritation Category 2; Causes serious eye irritation.
 Repr. 2; H361d..... : Reproductive toxicity Category 2; Suspected of damaging the unborn child.
 Flam. Liq. 3; H226 : Flammable liquids Category 3; Flammable liquid and vapour.
 STOT RE 2; H373 : Specific target organ toxicity - repeated exposure Category 2; May cause damage to organs through prolonged or repeated exposure.
 Aquatic Chronic 4; H413 : Long-term (chronic) aquatic hazard Category 4; May cause long lasting harmful effects to aquatic life.

Classification	Rationale:
Long-term (chronic) aquatic hazard, Category 4	Calculation method
Specific target organ toxicity - repeated exposure, Category 1	Calculation method
Specific target organ toxicity - single exposure, Category 3	Calculation method
Serious eye damage/eye irritation, Category 2	Calculation method
Reproductive toxicity, Category 2	Calculation method
Acute toxicity, Category 4, by inhalation / vapour	Calculation method
Flammable liquids, Category 3	On basis of test data.

- End of Safety Data Sheet -