

**Safety Data Sheet**

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 1.11 (GHS\_INT)

Print Date 01.06.2026

Date of last alteration: 04.04.2026

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Commercial product name: WACKER® PRIMER G 790 TOLUENE FREE****1.2 Relevant identified uses of the substance or mixture and uses advised against**Use of substance / preparation:  
Industrial. Commercial.  
primer .**1.3 Details of the supplier of the safety data sheet**Manufacturer/distributor: Wacker Chemie AG  
Street/POB-No.: Gisela-Stein-Straße 1  
State/postal code/city: D 81671 München  
Telephone: +49 89 6279-0Information about the Safety Data Sheet: Telephone +49 8677 83-4888  
eMail WLCP-MSDS@wacker.com**1.4 Emergency telephone number**

Emergency Information:	Europe	<b>+44 1235 239670</b>
Emergency Information:	Africa and the Middle East	<b>+44 1235 239671</b>
Emergency Information:	Caribbean, Central America and South America except Chile and Colombia	<b>+1 646 844 7309</b>
Emergency Information:	Pakistan	<b>+65 3158 1329</b>
Emergency Information:	Bangladesh	<b>+65 3158 1200</b>
Emergency Information:	East Asia and Southeast Asia except Sri Lanka, Bangladesh and Pakistan	<b>+65 3158 1074</b>
Emergency Information:	Sri Lanka	<b>+65 3158 1195</b>

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

Classification	H-Code
Serious eye damage/eye irritation, Category 1	H318
Skin corrosion/irritation, Category 2	H315
Long-term (chronic) aquatic hazard, Category 2	H411
Aspiration hazard, Category 1	H304
Flammable liquids, Category 2	H225
Specific target organ toxicity - single exposure, Category 3	H336

**2.2 Label elements**

Pictogram(s):



Signal Word: Danger

H-Code	Hazard Statements
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

# Safety Data Sheet

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 1.11 (GHS\_INT)

Print Date 01.06.2026

Date of last alteration: 04.04.2026

P-Code	Precautionary Statements
P280	Wear protective gloves/protective clothing/eye protection.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P233	Keep container tightly closed.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P331	Do NOT induce vomiting.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

**Hazard ingredients (labelling):**

C7 - C9 Isoalkanes

Titanium tetrabutanolate

## 2.3 Other hazards

Inhalation of aerosol spray may damage health.

The product hydrolyses under formation of ethanol (CAS-Nr. 64-17-5). Ethanol is classified concerning both physical and health hazards. The hydrolysis rate and consequently the relevance for the hazard profile of the product is strongly dependent on the specific conditions.

Endocrine disrupting properties - human health: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Endocrine disrupting properties - environment: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not applicable

### 3.2 Mixtures

#### 3.2.1 Chemical characteristics

silane and siloxane with functional groups + auxiliary + solvent

#### 3.2.2 Hazardous ingredients

Type	CAS-No.	Substance	Content %
INHA	90622-56-3	C7 - C9 Isoalkanes	>=75 – <100
INHA	5593-70-4	Titanium tetrabutanolate	>=5 – <10
INHA	78-10-4	Tetraethyl silicate	>=1 – <3

Type: INHA: ingredient, VERU: impurity

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above  $\geq 0.1\%$ .

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

**General information:**

Take persons to a safe place. Observe self-protection for first aid. Seek medical advice in the event of contact with this substance. Vapours may cause dizziness. Do not leave affected individuals unattended.

**After contact with the eyes:**

Rinse immediately with plenty of water for 10-15 minutes. Keep eyelids well open to rinse the whole eye surface and eyelids with water. Rinse immediately with plenty of water for 10-15 minutes and seek medical advice. Seek medical advice and clearly identify substance.

**After contact with the skin:**

Remove contaminated or soaked clothing. Wash off with plenty of water or water and soap immediately for 10-15 minutes. In serious cases, use emergency shower immediately. Seek medical advice and clearly identify substance.

**After inhalation:**

Keep the patient calm. Protect against loss of body heat. Seek medical advice and clearly identify substance.

# Safety Data Sheet

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 1.11 (GHS\_INT)

Print Date 01.06.2026

Date of last alteration: 04.04.2026

**After swallowing:**

If conscious, give several small portions of water to drink. Do not induce vomiting. Seek medical advice and clearly identify substance.

**4.2 Most important symptoms and effects, both acute and delayed**

Any relevant information can be found in other parts of this section.

**4.3 Indication of any immediate medical attention and special treatment needed**

Further toxicology information in section 11 must be observed. Do not induce vomiting. Danger of aspiration.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media:**

alcohol-resistant foam , carbon dioxide , sand , extinguishing powder .

**Extinguishing media which must not be used for safety reasons:**

water .

**5.2 Special hazards arising from the substance or mixture**

Risk of hazardous gasses or fumes in the event of fire. Exposure to combustion products may be a health hazard! Hazardous combustion products: toxic and very toxic fumes.

**5.3 Advice for firefighters****Special protective equipment for fire fighting:**

Use respiratory protection independent of recirculated air. Keep unprotected persons away.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. If material is released indicate risk of slipping. Do not walk through spilled material.

**6.2 Environmental precautions**

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Contain any fluid that runs out using suitable material (e.g. earth). Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

**6.3 Methods and material for containment and cleaning up**

Take up mechanically and dispose of according to local/state/federal regulations. Do not flush away with water. For small amounts: Absorb with a neutral (non-acidic / non-basic) liquid binding material such as diatomaceous earth and dispose of according to government regulations. For large amounts: Liquids may be recovered using suction devices or pumps. If flammable, only air driven or properly rated electrical equipment should be used. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Silicone fluids are slippery; spills are a safety hazard. Apply sand or other inert granular material to improve traction.

**Further information:**

Exhaust vapours. Eliminate all sources of ignition. Consider explosion protection. Observe notes under section 7.

**6.4 Reference to other sections**

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****General information:**

Avoid exposure by technical measures or personal protective equipment.

**Safety Data Sheet**

Material: 60096739

**WACKER® PRIMER G 790 TOLUENE FREE**

Version 1.11 (GHS\_INT)

Print Date 01.06.2026

Date of last alteration: 04.04.2026

**Precautions for safe handling:**

Ensure adequate ventilation. Must be syphoned off in situ. Spilled substance increases risk of slipping. Avoid formation of aerosols. In case of aerosol formation special protective measures are required (exhausting by suction, respiratory protection). Observe information in section 8. Keep away from incompatible substances in accordance with section 10.

**Precautions against fire and explosion:**

Product may release ethanol. Flammable vapors may accumulate and form explosive mixtures with air in containers, process vessels, including partial, empty and uncleaned containers and vessels, or other enclosed spaces. Keep away from sources of ignition and do not smoke. Take precautionary measures against electrostatic charging. Cool endangered containers with water.

**7.2 Conditions for safe storage, including any incompatibilities****Conditions for storage rooms and vessels:**

Observe local/state/federal regulations.

**Advice for storage of incompatible materials:**

Observe local/state/federal regulations.

**Further information for storage:**

Store in a dry and cool place. Protect against moisture. Store container in a well ventilated place.

**7.3 Specific end use(s)**

No data available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Maximum airborne concentrations at the workplace:**

Substance	Type	mg/m <sup>3</sup>	ppm	Dust fract.	Fibre/m <sup>3</sup>
Aerosol - inhalable fraction		10,0			

The aerosol limit specified is a recommendation should aerosol be formed during processing.

**8.2 Exposure controls****8.2.1 Exposure in the work place limited and controlled****General protection and hygiene measures:**

Observe standard industrial hygiene practices for the handling of chemical substances. Do not inhale gases/vapours/aerosols. Use with adequate ventilation. Avoid contact with eyes and skin. Preventive skin protection recommended. Remove contaminated, soaked clothing immediately. Clean work areas regularly. Provide emergency shower and eye-bath. Do not eat, drink or smoke when handling. Keep away from foodstuff, drink and feedingstuff.

**Further information for system design and engineering measures**

Observe information in section 7. Observe national regulatory requirements.

**Personal protection equipment:****Respiratory protection**

If inhalative exposure above the occupational exposure limit cannot be excluded, adequate respiratory protection equipment must be used. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136. Recommended Filter type: Gas filter type ABEK (certain inorganic, organic and acidic gases and vapors; ammonia/amines), according to acknowledged standards such as EN 14387

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136.

Recommended Filter type: Combined filter type ABEK-P2 (certain inorganic, organic and acidic gases and vapors; ammonia/amines; particles), according to acknowledged standards such as EN 14387

For long or intense exposure, use respiratory protective equipment. Suitable respiratory equipment: Positive pressure self contained breathing apparatus, according to acknowledged standards such as EN 137.

Observe the equipment manufacturer's information and wear time limits for respirators.

**Eye protection**

tight fitting protective goggles, according to acknowledged standards such as EN 166.

**Safety Data Sheet**

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 1.11 (GHS\_INT)

Print Date 01.06.2026

Date of last alteration: 04.04.2026

**Hand protection**

Protective gloves are required at all times when handling the material, according to recognized standards such as EN374.

Recommended glove types: Protective gloves made of fluorinated rubber  
thickness of the material: > 0,7 mm  
Breakthrough time: > 480 min

Recommended glove types: Protective gloves made of 5-layer laminate of PE and EVOH (4H)  
thickness of the material: > 0,062 mm  
Breakthrough time: > 480 min

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Note that, due to the numerous external influences (such as temperature), a chemically resistant protective glove in daily use may have a service life that is considerably shorter than the measured break through time.

**Skin protection**

Chemical protective clothing, according to acknowledged standards such as EN 13034, full-body liquid-tight protection if necessary, according to acknowledged standards such as EN 14605, if handled uncovered. Please observe the instructions regarding permeability time which are provided by the supplier. antistatic protective clothing, according to acknowledged standards such as EN 1149 and antistatic working shoes, according to acknowledged standards such as ISO 20345 and ISO 20347.

**8.2.2 Exposure to the environment limited and controlled**

Prevent material from entering surface waters, drains or sewers and soil.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Property:	Value:	Method:
<b>Appearance</b>		
Physical state .....	liquid	
Colour.....	yellowish	
<b>Odour</b>		
Odour .....	almost odourless	
<b>Odour limit</b>		
Odour limit.....	no data available	
<b>pH-Value</b>		
pH-Value .....	Not applicable. Insoluble in water.	
<b>Melting point/freezing point</b>		
Melting point / melting range .....	not applicable	
<b>Initial boiling point and boiling range</b>		
Boiling point / boiling range .....	116 - 142 °C at 1013 hPa	(Lit.)
<b>Flash point</b>		
Flash point.....	2 °C	(ISO 13736)
<b>Evaporation rate</b>		
Evaporation rate .....	no data available	
<b>Upper/lower flammability or explosive limits</b>		
Lower explosion limit .....	0,7 Vol-%	(not specified)
Upper explosion limit .....	7,0 Vol-%	(not specified)
<b>Vapour pressure</b>		
Vapour pressure.....	50 hPa at 25 °C	(EU-GL.A.4)
Vapour pressure.....	121 hPa at 50 °C	(DIN 13016-3)
<b>Solubility(ies)</b>		
Water solubility .....	practically insoluble	
<b>Vapour density</b>		
Relative gas/vapour density .....	no data available	
<b>Relative Density</b>		
Relative Density .....	0,76 (23 °C; 1013 hPa) (Water / 4 °C = 1,00)	(DIN 51757)
Density .....	0,76 g/cm <sup>3</sup> (23 °C; 1013 hPa)	(DIN 51757)

**Safety Data Sheet**

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 1.11 (GHS\_INT)

Print Date 01.06.2026

Date of last alteration: 04.04.2026

**Partition coefficient: n-octanol/water**

Partition coefficient: n-octanol/water.....: not applicable

**Auto-ignition temperature**

Ignition temperature .....: 370 °C

(DIN EN ISO/IEC  
80079-20-1)**Decomposition temperature**

Thermal decomposition.....: no data available

**Viscosity**

Viscosity, dynamic.....: 0,76 mPa.s

Viscosity, kinematic.....: 1 mm<sup>2</sup>/s at 25 °C

(DIN 51562-1)

**Molecular mass**

Molecular mass .....: not applicable

**9.2 Other information**

Hydrolysis products reduce the flash point. Explosion limits for released ethanol: 3.5 - 15%(V).

**SECTION 10: Stability and reactivity****10.1 – 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions**

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

**10.4 Conditions to avoid**

Moisture, heat, open flames, and other sources of ignition.

**10.5 Incompatible materials**

Reacts with water, basic substances and acids. The reaction takes place with the formation of ethanol.

**10.6 Hazardous decomposition products**

Ethanol by hydrolysis. Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****11.1.1 General information**

Data derived for the product as a whole are of higher priority than data for single ingredients.

**11.1.2 Acute toxicity****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**Acute toxicity estimate (ATE):**ATE<sub>mix</sub> (Oral): > 2000 mg/kg**Data on substances:****C7 - C9 Isoalkanes:**

Exposure routes	Result/Effect
Oral	LD50 > 5000 mg/kg Species: Rat, Source: ECHA
dermal	LD50 > 2000 mg/kg Species: Rabbit, Source: literature
by inhalation (vapour)	LC50 > 21 mg/l; 4 h Mortality has been observed at the given dose level. Species: Rat, Source: ECHA

# Safety Data Sheet

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 1.11 (GHS\_INT)

Print Date 01.06.2026

Date of last alteration: 04.04.2026

## 11.1.3 Skin corrosion/irritation

**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**Data on substances:****C7 - C9 Isoalkanes:**

irritating (Species: not specified, Source: ECHA)
--

## 11.1.4 Serious eye damage/eye irritation

**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**Data on substances:****C7 - C9 Isoalkanes:**

No eye irritation (Species: Rabbit, Source: ECHA)
--

## 11.1.5 Respiratory or skin sensitization

**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**Data on substances:****C7 - C9 Isoalkanes:**

Exposure routes	Result
Skin contact	Does not cause skin sensitization. (Species: Guinea pig, Test system: Maximisation Test, Test substance: read-across substance, Source: ECHA)

## 11.1.6 Germ cell mutagenicity

**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

## 11.1.7 Carcinogenicity

**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

## 11.1.8 Reproductive toxicity

**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

## 11.1.9 Specific target organ toxicity - single exposure

**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**Data on substances:****C7 - C9 Isoalkanes:**

Vapours may be narcotising.

## 11.1.10 Specific target organ toxicity - repeated exposure

**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

# Safety Data Sheet

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 1.11 (GHS\_INT)

Print Date 01.06.2026

Date of last alteration: 04.04.2026

## 11.1.11 Aspiration hazard

**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**Data on substances:****C7 - C9 Isoalkanes:**

Product can pose an aspiration hazard.

## 11.2 Information on other hazards

### 11.2.1 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 11.2.2 Further toxicological information

According to documentation n-butanol (71-36-3) is irritating to mucous membranes, slightly irritating to skin, degreases skin, has narcotic effects.

**Data on substances:****Product of hydrolysis (Ethanol):**

Ethanol (64-17-5) is readily absorbed at all exposure routes. Ethanol may cause irritation of eyes and mucosa, trigger dysfunction of the central nervous system and cause nausea as well as dizziness. Chronic exposure to high amounts of ethanol may cause damage to liver and central nervous system.

## SECTION 12: Ecological information

### 12.1 Toxicity

**Assessment:**

For the product as a whole, no test data is available.

### 12.2 Persistence and degradability

**Assessment:**

For the product as a whole, no test data is available.

### 12.3 Bioaccumulative potential

**Assessment:**

For the product as a whole, no test data is available.

### 12.4 Mobility in soil

**Assessment:**

For the product as a whole, no test data is available.

### 12.5 Results of PBT and vPvB assessment

PBT assessment

No data available.

vPvB Assessment

No data available.

### 12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

none known

**Safety Data Sheet**

Material: 60096739

WACKER® PRIMER G 790 TOLUENE FREE

Version 1.11 (GHS\_INT)

Print Date 01.06.2026

Date of last alteration: 04.04.2026

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****13.1.1 Material**

Recommendation:

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

**13.1.2 Uncleaned packaging**

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

**SECTION 14: Transport information****14.1 UN number or ID number**

ADR .....: UN1993  
RID .....: UN1993  
IMDG.....: UN1993  
ICAO/IATA .....: UN1993

**14.2 Proper shipping name**

ADR .....: Entzündbarer flüssiger Stoff, n.a.g. (C7-C9 Isoalkane, Titanatetrabutanolat)  
ADR (Domestic transport regulations).....: Flammable liquid, n.o.s (C7-C9 Isoalkanes, Titanium tetrabutanolate)  
RID .....: Entzündbarer flüssiger Stoff, n.a.g. (C7-C9 Isoalkane, Titanatetrabutanolat)  
RID (Domestic transport regulations).....: Flammable liquid, n.o.s (C7-C9 Isoalkanes, Titanium tetrabutanolate)  
IMDG.....: Flammable liquid, n.o.s. (C7-C9 Isoalkanes, Titanium tetrabutanolate)  
ICAO/IATA .....: Flammable liquid, n.o.s. (C7-C9 Isoalkanes, Titanium tetrabutanolate)

**14.3 Transport hazard class**

ADR .....: 3  
(Limited quantity (LQ): 1L)  
RID.....: 3  
IMDG.....: 3  
ICAO/IATA .....: 3

**14.4 Packing group**

ADR .....: II  
RID .....: II  
IMDG.....: II  
ICAO/IATA .....: II

**14.5 Environmental hazards**

Environmentally hazardous: yes  
Marine pollutant (IMDG): yes

**14.6 Special precautions for user**

Relevant information in other sections has to be considered.

**14.7 Maritime transport in bulk according to IMO instruments**

Bulk transport in tankers is not intended.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

**Safety Data Sheet**

Material: 60096739

**WACKER® PRIMER G 790 TOLUENE FREE**

Version 1.11 (GHS\_INT)

Print Date 01.06.2026

Date of last alteration: 04.04.2026

**15.2 Details of international registration status**

Relevant information about individual substance inventories, where available, is given below.

Japan .....	: <b>ENCS</b> (Handbook of Existing and New Chemical Substances): This product is listed in, or complies with, the substance inventory.
Australia .....	: <b>AIIC</b> (Australian Inventory of Industrial Chemicals): This product is listed in, or complies with, the substance inventory.
China.....	: <b>IECSC</b> (Inventory of Existing Chemical Substances in China): This product is listed in, or complies with, the substance inventory.
Canada .....	: <b>DSL</b> (Domestic Substance List): This product is listed in, or complies with, the substance inventory.
Philippines.....	: <b>PICCS</b> (Philippine Inventory of Chemicals and Chemical Substances): This product is listed in, or complies with, the substance inventory.
United States of America (USA).....	: <b>TSCA</b> (Toxic Substance Control Act Chemical Substance Inventory): All components of this product are listed as active or are in compliance with the substance inventory.
Taiwan .....	: <b>TCSI</b> (Taiwan Chemical Substance Inventory): This product is listed in, or complies with, the substance inventory. General note: The Taiwanese chemicals regulation requires a phase 1 registration for TCSI-listed or TCSI-compliant substances if imports to Taiwan or manufacturing in Taiwan exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the duty of the importing/manufacturing legal entity to take care of this obligation.
European Economic Area (EEA).....	: <b>REACH</b> (Regulation (EC) No 1907/2006): General note: the registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations for substances imported into the EEA by customers or other downstream users must be fulfilled by the latter.
South Korea (Republic of Korea) .....	: <b>AREC</b> (Act on Registration and Evaluation of Chemicals; "K-REACH"): Please approach your regular contact for more detailed information.

**SECTION 16: Other information****16.1 Material**

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

WACKER restricts the use of its products inside the human body or in contact with bodily fluids and mucosa. For further details please review our Health Care Policy on [www.wacker.com](http://www.wacker.com). WACKER may cancel any delivery obligation(s) if the Health Care Policy is not observed.

**16.2 Further information:**

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

Classification	Rationale:
Serious eye damage/eye irritation, Category 1	Calculation method
Skin corrosion/irritation, Category 2	Calculation method
Long-term (chronic) aquatic hazard, Category 2	Calculation method
Aspiration hazard, Category 1	Calculation method
Flammable liquids, Category 2	On basis of test data.
Specific target organ toxicity - single exposure, Category 3	Calculation method

**- End of Safety Data Sheet -**